

TRAINING SYSTEMS FOR AUTOMATION TECHNOLOGY

For acquiring practical and project-oriented skills and expertise


CONTENTS

Qualified for industry Training systems for automation technology 4

UniTrain - Designed to motivate learning One system for the entire scope of technical vocational training ...

Computer-based learning platform Interactive Lab Assistant (ILA) – LabSoft Classroom Manager 8

.... 6



Fundamentals of automation technology	12
Pneumatics / Electro-pneumatics	14
Hydraulics / Electro-hydraulics	
Fundamentals of PLC technology	16
PLC system models	17
Programmable logic control	18
Training systems on programmable logic control (PLC)	20
S7-1512C PLC	
Training systems on programmable logic control	
(PLC) S7-1215C	22
Security technology in automation technology	24
Circuitry with safety relays 25	
Cybersecurity	26
Applications of automation technology	
PLC universal plant system motor	
PLC touchpanel models	
IO Link	32
Open-loop control of electrical drive systems 33	~ •
Basics of 3-axis gantry robot	
Augmented Reality (AR) with the IMS factory app	35
Smart factories (Industry 4.0)	36
4th Industry revolution for vocational training	
Everything under control with the ERP lab	.40
From the IMS [®] subsystem to the smart factory	42
The subsystems at a glance	
IMS [®] transport and subsystems	
IMS [®] 1.5 – Cyber-physical conveyor belt system	
IMS® Virtual – the digital twin	48
Robot technology	50
Training systems for robotics	
Collaborating robotics	
Mobile robotics	
IMS [®] robot technology	
Project work with the robot	
Computer Integrated Manufacturing CIM	
CIM 1 – Lathe machine	
CIM 2 – Milling machine	
Programming software	
Professional 3D programming software	63

QUALIFIED FOR INDUSTRY



Training systems for automation technology

Technical progress...

Modern smart factories involve the meshing of production processes with the latest information and communications technology. This makes it possible to manufacture tailormade products that match the customers' needs at inexpensive prices and in high quality. This concept is predicated on data acquisition pertaining to the status of the production system and the closed-loop control of process variables. This is accomplished using a wide variety of sensors that operate according to different physical principles. Knowledge of sensor systems is therefore essential for anyone dealing with automation or closed-loop control technology as well as for mechatronics technicians.

... has a major impact on education and training

Changing demands call for new, modern, practice-oriented training systems. These systems instruct trainees on the most up-to-date technology and provide them with the requisite skills.

Strong partnership with industry

is the guarantee for close proximity to actual practice. Lucas-Nülle has found this strong partner in the market leader, Siemens AG. State-of-the-art products in automation engineering from Siemens are prepared by Lucas-Nülle for educational purposes and precisely tailored to the needs of schools and educational institutions. All areas and study levels are fully covered from the basic compact version up to and including modular high-end systems with fieldbus interfaces and decentralized peripherals including operating and monitoring equipment. It goes without saying that the latest security and safety technology in accordance with the latest European engineering guidelines has been integrated into all of the systems.

The modular and scalable vocational training systems are both innovative and future-proof and thus form the foundation for excellent and indepth training in automation technology.


UNITRAIN - DESIGNED TO MOTIVATE LEARNERS

A system for the entire scope of technical vocational training


Getting people the know-how and expertise to operate more and more complicated technical systems and equipment in ever shorter time frames is the big challenge facing the vocational training and education of today and tomorrow. It was to master this challenge that the UniTrain system was developed in the first place: a computer-based multimedia experiment and training system for electrical engineering and electronics.

By integrating training programs with a fully equipped electrical laboratory into a single mobile interface permits theory and practice to be taught efficiently and effectively, anywhere and anytime.





2 Virtual instrument120 virtual instruments for interface control



Your benefits

- Universal training sys
- Mobile deployment for
- Promotos indonondon
- Puilding skills and over
- Alternating challenge
- Safer experimentation
- Learning programs cor
- For the entire scope of



Measurement and control interface: Analog / digital measurement inputs and voltage sources for the experiments





LabSoft course

Over 130 training programs with experiment hardware from all areas of electrical engineering and electronics

m


- use anywhere
- learning
- rtise through practical experiments
- boost motivatior
- hanks to safety extra-low voltage
- bine theory and practice
- electrical engineering

: **video** e yourself of the benefits



 Experimenter
 Accommodates the experiment cards and additional voltage outputs (three-phase current)

COMPUTER-BASED LEARNING PLATFORM



Interactive Lab Assistant (ILA)

When performing the experiments, you are supported by an Interactive Lab Assistant (ILA). It not only guides you through the experiment but also provides valuable theoretical information, records measurement values, and all the while in the background it automatically creates the required laboratory documentation as a print or PDF document. If you wish to fine-tune the guiding instructions, simply use the Labsoft Classroom Manager to change or supplement the content.

Benefits

- Teaching theory using easy-to-understand animations
- · Support while performing the experiments
- Interactive demonstration of experiment set-ups
- Access to real measuring and testing equipment with comprehensive evaluation possibilities
- Practice-oriented project assignments
- Integrated operating instructions
- Documentation of the experiment results (compilation of an experiment report)
- Knowledge questions incl. feedback function


The LabSoft Classroom Manager

is an administration software with extensive functionality. It permits practice-based teaching and learning processes to be organized and managed comfortably. The Classroom Manager is well suited for all LabSoft-based learning programs like ILA, UniTrain, InsTrain and CarTrain.

It consists of the following program elements:











LabSoft Manager

Manage your LabSoft courses, students and learning groups using the LabSoft Manager. That way, the right learning material is always available for your students.





LabSoft TestCreator



LabSoft Reporter

Tests are created which can be used to simultaneously assess both knowledge presented by the LabSoft Reporter. and skill level. Filter functions help you in selecting test questions both and group results of courses and manually and automatically. and supervision.



19. per l'estilit au discriste, l'archanne "de per l' 19. per l'estilit au discriste, l'archanne "de per l'échanne de per l'échanne d'archanne d'archanne d'archanne d	age of loss (to or local or loss)



LabSoft Editor

Numerous aids in the LabSoft Editor help you to create new courses and assist the user by guiding him step-by-step through the necessary instructions.



Learning progress and test results are Numerous evaluations for individual exams facilitate systematic monitoring

LabSoft ControlCenter

With the ControlCenter you are always up-to-date on everything in your classroom. It shows what your classroom is currently working on, inserts help questions and permits the distribution of individual screen content to the group.

MORE THAN A LABORATORY

Flexible process engineering production plants with IPA

Complex training content presented vibrantly using modern learning media

Every IPA station can be open- and closed-loop controlled using an industrial PLC or the UniTrain

CNC programming directly on lathe and milling machines or simulated in 3D

Smart factory (Industry 4.0) with IMS®

with UniTrain

Comprehensive solutions for process control systems: PLC, AS-i, PROFIBUS, PROFINET, HMI, Remote Maintenance, Safety Technology, Drive Technology

A multitude of process control assignments are provided by the plant system models and process simulators



Blended Learning Multimedia-based teaching of know-how


FUNDAMENTALS FOR AUTOMATION TECHNOLOGY

Thanks to the progress being made in industrial process automation, the area of automation technology is becoming ever more important. This dovetails into other areas like drive technology, closed-loop control and IT technology. Due to rapid rates of development, automation technology is one of the most innovative and short-lived areas in all electrical engineering.



PNEUMATICS / ELECTRO-PNEUMATICS


HYDRAULICS / ELECTRO-HYDRAULICS





Pneumatics CO4204-5E

LICKS-Mikes Lietsint	- 3.3
ten metantas anant lipinan metanap in	norm in
and day	
nat activates.	Einstellbare Drosselventile
Elebras	
all toperment Debelas	Das Drosselventil all ein einstellbarer huf auflicher Widentland zur Beeinflussung des Volumenstroms. Eine Reduzierung des Stroms ergibt sich dabei in beden
Etaberalgachalter	Durchflussnohlungen. Das Drosselventli wird vorwiegend zur Steuerung der Koltengeschwindigkeit von Hvdraulikzvändent verwendet.
Churchel	
Difumpers and Malanters	Nachtsigende Grafik zeigt den Schnitt durch ein Dosselventil, bei dem die Drosselstelle als Kegelsitz ausgeführt ist und der Drosselguerschnitt über eine
Brokwikowsk	Rändelschraube verstellt werden kann. Der Volumenstrom (und damit die Kobengeschwindigkeit des angetriebenen Hydraulikzylinders) ist unmittelbar vom
Shewaner	Drosselguerschnitt abhängig, wird der Drosselguerschnitt durch Hereinchehen der Rändelschraube vertingert, wird der Volumenstrom Kieher, durch Hereusdrehen
\$2.2strater	der Rändelschraube eind der Volumenstrom erhöht.
2 Adjuter or Spiners	and a second secon
#Telacheitkende Zylinder	
2 Dopperfusi Nenter 2 pinder	
to the provide state of the pr	
Réprine	
Blatitiguegarten von Wegnamition	
E10-Reports	
Rupernet Assurung the critchele.	
S42 departs	4 6
Closinet littlerug eini Storfarte.	- 11
Storn and Sperventer	8
disarinest liters and lansestia.	
Stores .	A
Galacte Bechellung nettrukystautoche 2.	
Bristauticher und elderscher Schatzlan	
8 dag Love Dagson	
Ellip (v) Departs Ellipsioneuro electrolytecher tecenolosi	Eine Montage des Drosselventils kann sowihl am Druckanschluss als auch am Entlüftungsanschluss des Zylinders bzw. des zugehörigen Wegeventils erfolgen.
Rintining of pideoparties 2.	
School and initiative belowing	
Experie the space of	Rückschlagventile
Elasidenza vo Sgaler	
Comment fails in the second se	Rückschlagventile sperren den Fluss in einer der beiden Strömungerichtungen selbetständig. Konstruktiv wird die Speirung mit einer Feder realisiert, die entweder
Revenues Selection Redenues and	eine Kugel, einen Kagel oder eine Membran in den jeweiligen Sitz drückt. Steht in der Durchlaserichtung ein Druck an, der größer ist als die Federikraft, wird das
Bingerheit selltinge sondsamung eine.	dichtende Element (also z. B. die Kugel) von Sitz abgehoben und der Durchfluss ist trei. Nachtsigende Grafik zeigt den Schnitt durch ein Rückschlaguentit, die Pfele
manufactor and the particular of	geben in diesem Fall die Durchlassrichtung an. Die Vorteil eines Rückschlagventills gegenüber einem Wegeventil liegt darin, dass das Ventil im gegoenten Zustand





Pneumatics for vocational training and education

The course teaches the basics of pneumatics. In all hands-on project assignments, the core skills and technical qualifications are imparted on the basis of integrated and independent planning, implementation and inspection. A wide scope of vocations should be covered by a basic training program that teaches hands-on skills and expertise. To be able to do skilled and professional work, the students especially need to learn how to carry out independent planning, implementation and inspection and also how to conduct themselves professionally in a business environment.

Training contents

- Fundamentals of pneumatics
- How single-acting and double-acting cylinders function
- · Becoming familiar with various directional valves
- How electropneumatic controls are designed and function
- Hard-wired controls
- Programmable controls
- Recording time-displacement diagrams
- Time-dependent controls



UNITRAIN System


Hydraulics for vocational training and education


Thanks to leak-free connecting hoses, it is possible to do safe and clean work in the classroom even at pressures of up to 40 bar. The accompanying UniTrain self-learning course guides the students through all of the basic hydraulic principles. They design logic operations using the circuit diagram editor integrated into the software or carry out the traditional wiring required for the projects using the control elements integrated into the board.

- Fundamentals of hydraulics/electro-hydraulics
- Hydraulic and electrical circuit diagrams
- Single-action and double-action cylinders
- Extension of a cylinder using a pushbutton
- Extension of a cylinder with self-holding function
- Limit switch as n.c. contact
- Feed control with start precondition
- Start interlocking with random intermediate stop
- Pressure-dependent control
- Mechanical interlocking of a pushbutton contact
- Electrical interlocking of a pushbutton contact
- Rapid feed circuit
- Time-dependent control
- Recording time-displacement diagrams

FUNDAMENTALS OF PLC TECHNOLOGY

PLC SYSTEMS MODEL







UNITRAIN System

Programmable logic control (PLC)

Today's highly automated industrial landscape features machinery that practically operates by itself. As a rule, the plants and systems are operated by programmable logic control units or PLCs. An understanding of how these controls operate and are networked is imperative. Students and trainees gain more than just an introduction into this subject using the PLC basics board which is manufacturerneutral.

Training contents

- Basic principles and terminology for PLCs
- Design and operation
- Logic operations, memory functions, time and counter functions, analog value processing
- Project planning of an automation system
- Programming to IEC 1131 using structured text (ST), function block diagrams (FBD) or ladder diagrams (LD)
- Combination of basic operations
- Project planning in digital technology
- Project planning in traffic light control
- Project planning in analog value processing
- Project planning in 7-segment displays

Practical hands-on approach to PLC

UNITRAIN

SYSTEM

With this compact learning system, the logical operating sequence of a lift can be learned and programmed. Thanks to the very realistic depiction of the entire lift system, the student quickly grasps the various processes. The use of industrial components is an orientation aid that helps students quickly find their way later on the job.

Art. no. CO4204-8M

Art. no. CO4204-8T



- Manual process control of motors
- Detecting sensor signals
- Lift control for two storeys
- Lift control for three storeys
- Lift control with door control operation
- Learning and programming EMERGENCY stop functionality

PROGRAMMABLE LOGIC CONTROL

IGITAL INPUT

ANALOG - INPUT


DIGITAL OUTPUT

Integral element of automation technology New priorities in training and education require new skills and qualifications in the disciplines of process control technology, electromechanics, electronics and computerassisted control units (PLC). The fundamental principles and operations of the PLC are graphically illustrated with many examples, explanations and practical exercises. BASIC UNIT FOR SIMATIC \$7-1500 UNCERNITEUR SIMATIC ST-1500

S7-1512C SPS

TRAINING SYSTEM FOR PROGRAMMABLE LOGIC CONTROL (PLC) S7-1516





The training system for the 1500 series of control units

Training system for PLC devices of the SIMATIC S7-1500 series. Alternatively an S7-1512C or an S7-1516 unit can be used. The freely accessible profile rail is equipped with input and output modules of the SIMATIC S7-1500 series. The 4 digital input and output bytes are distributed with 2 bytes each on the 4mm-safety sockets and the 9-pin, 25-pin and 37-pin system connecter plug-sockets.

Art. no. CLC15 PLC with S7-1516

Technical data

- 16 digital inputs DC 24 V on 4 mm safety sockets
- 16 pushbutton/latching switches for simulation of digital inputs
- 16 digital outputs DC 24 V on 4 mm safety sockets
- 16 digital inputs DC 24 V via 9-pin, 25-pin and 37-pin system connector plug
- 16 digital outputs DC 24 V via 9-pin, 25-pin and 37-pin system connector plug
- + 8 analog inputs -10 V ... +10 V and 0 ... 20 mA
- 4 analog outputs selectable -10 V ... +10 V or 0...20 mA
 1 analog output with -10 V ... +10 V can be set via
- potentiometer
- Analog output with 0 ... 20 mA can be set via potentiometer
- 9-pin and 25-pin sockets for direct control of the
- mechatronic systems
- 37-pin connector plug and 37-pin socket

The training system for 1512C control

Training system for PLC units of the SIMATIC S7-1500 compact series. In contrast to the S7-1516, the S7-1512C compact control unit is only equipped with Profinet. Here we dispense with the Profibus since modern production plants nowadays largely use Profinet as the bus system.

Art. no. CLC15 SPS with S7-1512C

Technical data

- 16 digital inputs DC 24 V on 4 mm safety sockets
- 16 pushbutton/latching switches for simulation of digital inputs
- 16 digital outputs DC 24 V on 4 mm safety sockets
- 16 digital inputs DC 24 V via 9-pin, 25-pin and 37-pin system connector plug
- 16 digital outputs DC 24 V via 9-pin, 25-pin and 37-pin system connector plug
- 5 analog inputs -10 V ... +10 V and 0 ... 20 mA
- 2 analog outputs selectable -10 V ... +10 V or 0...20 mA
- 1 analog output with -10 V ... +10 V can be set via potentiometer
- 1 analog output with 0 ... 20 mA can be set via potentiometer
- 9-pin and 25-pin sockets for direct control of mechatronic systems
- 37-pin connector plug and 37-pin socket

TRAINING SYSTEM ON PROGRAMMABLE LOGIC CONTROL (PLC) S7-1215C





An overview of the S7-1200 training system

The basic unit is equipped with a SIMATIC S7-1200, a KTP700 touchpanel and a power supply unit and thus forms a fully operational standalone, compact and expandable training system. The KTP700 touchpanel is equipped with an Ethernet interface for communication and programming. The networking of all equipment is easy to configure with the five-fold Ethernet switch.

Benefits

- SIMATIC S7-1200 with CPU 1215C DC/DC/DC
- Solid desktop housing with non-skid feet
- Integrated power supply: 24V/5A DC
- Sockets for EMERGENCY-OFF loop (voltage disabling circuit for the output modules)
- Integrated touchpanel
- 5-fold Ethernet switch to network the PLC using the KTP700
- 9-pin and 25-pin sockets for direct evaluation of mechatronic systems
- Can be extended as desired using PROFIBUS or AS-i master module

Automation visualization

Using the touchpanels KTP700 and TP700 it is easy to display entire applications or just signals. Control mechanisms such as buttons or switches complete all requirements for the operating and monitoring features.

Benefits


- The programming of TP700 is performed with the WinCC Advanced visualization software included in the delivery
- Fully graphic colour display (16 million colours)
- Touchscreen 7"
- Resolution: 800 x 480 pixels
- PROFIBUS DP, PROFINET I/O, USB ports
- Disturbance and operating signal display
- Formulation management
- High viewing angle
- Dimmable LED background lighting from 0 ... 100 %

SAFETY TECHNOLOGY IN THE AREA OF AUTOMATION ENGINEERING

The training systems covering the subject of "Safety and security technology" span the entire spectrum. Optical systems, like light barriers or laser scanners, can easily be integrated into these systems. The featured model is the safety door with a safety position switch which can be used to teach the widest range of safety applications. The systems covering safety technology are the perfect complement to the "Industrial Mechatronics System" IMS[®].

CIRCUITRY WITH SAFETY RELAYS

CYBERSECURITY





Fundamental principles: safety with contactors

The featured model is the safety door equipped with a safety position switch. A variety of safety applications can be trained on this component using the corresponding safety circuits.

- Safety position switch with roller lever switch
- Safety position switch with locking mechanism
- Safety position switch with separate actuator
- Emergency shut-down circuit

Benefits

- Safety categories according to EN 954-1
- Redundant design of safety circuitry
- Signalling system operating states
- Configuration and putting into operation of safety switching equipment
- EMERGENCY STOP
- Direct disabling with safety door locking mechanism

Cybersecurity in automation engineering

In modern production lines, the topic of cybersecurity is indispensable. All conventional security measures used to ward off cyberattacks on automation systems are imparted using a host of exercises.

- Rules and regulations governing system use
- Physical security measures
- Configuration of a security LAN router
- DHCP server
- Firewall
- Open VPN
- Analyse network protocols
- Secure Shell (SSH)
- HTTP(S)
- Remote maintenance with Sinema
- Access Control / Access Restriction
- Authentication / Release
- Encryption
- Certificates

AUTOMATION TECHNOLOGY APPLICATIONS

The application areas of automation technology are wide-ranging and almost ubiquitous. Whether it is about the networking of systems with different bus systems or applications like lifts or gantry robots, automation technology is playing an ever more important role.

3

PLC UNIVERSAL PLANT SYSTEM SIMULATOR

PLC TOUCHPANEL MODELS





Set up, switch on and practice

The PLC universal plant system simulator was specifically developed for basic training in PLC technology. It is particularly well-suited to illustrate and practically demonstrate open- and closed-loop control processes in industrial applications. By using an array of overlay masks, up to 24 different technical processes and models can be simulated. The projects are designed to mirror teaching syllabuses and requirements.

Projects

- Construction site traffic light
- Star-delta starting
- Dahlander circuit
- Start control
- Monitoring installation
- Tank filling system
- Flood gate control
- Transfer platform
- Buffer storage tank
- Filling level controlled system
- Mixing system
- and much more

Art. no. CLC 34

8 models as an introduction to the TIA portal

The touchpanel models have been designed to include the basic functionality of PLC programming. A self-learning course takes the user from programming the data block to state and step sequence programming all the way to controller design. The models are shown in animated form on a touchpanel and control is carried out using the digital I/ Os of the connected PLC. Just like in real models, the programmer also receives signals from sensors that are needed for further signal processing of the sequential steps.

Projects

- Transport crane
- Construction site traffic light
- Tank filling system
- Conveyor belt
- 3-storey lift
- Start-delta starter
- Two-line 7-segment display
- Automatic room temperature control

IO LINK

OPEN-LOOP CONTROL OF ELECTRICAL DRIVE SYSTEMS



IO link in manufacturing

IO link is an internationally standardized IO technology (IEC 61131-9) used to permit sensors and actuators to communicate. This technology makes "smart sensor technology" possible. The potential for IO link applications is vast and plays a huge role in the smart factory and the 4th industrial revolution.

Training contents

- IO link fundamentals
- Transport system with IO link master
- Configuration in the TIA portal
- IO link RFID
- ' Configuration
- ' Package sorting project
- ' Statistical compilation project
- IO link ultrasonic sensor
- ' Position determination project
- 'Segmentation project
- ' Diagnostics project
- IO link signal lighting
 Status display project

Connection between drive and automation technology

The focus of this training system is on project planning and programming of the PLC and includes the operator panel as well as configuring and putting into operation of the frequency converter with PROFIBUS-DP. The servo brake unit is used in this training system for the purpose of loading the drive machine controlled by the frequency converter. This permits a variety of configurable driven machines like ventilators, winding drives, calendar units, compressors and a flywheel to be simulated.

Art. no. CLP 21

- Configuring, programming and putting into operation a programmable logic control system
- Project planning and putting into operation a touchpanel
- Configuring and putting into operation a frequency converter
- Project planning and putting into operation a fieldbus system
- Networking the frequency converter with the control unit via PROFINET

FUNDAMENTAL PRINCIPLES OF GANTRY ROBOT

AUGMENTED REALITY (AR) WITH THE IMS FACTORY APP



The gantry robot is designed to perform "Pick&Place" operations or even warehouse storage tasks with workpieces. Additional operations like stacking workpieces, warehousing, traversing track contours and much more are also possible. With the aid of the pen holder, it is possible to attach pens and draw figures or trace contours used for simulating lathing.

Training contents

- Basic principles for performing experiments
- Detailed experiment description
- Hardware configuration
- Projects:
- ' Axis control in manual operating mode
- ' Incremental movements
- ' Convey workpieces
- ' Stack workpieces
- ' Circular track mode
- ' Warehouse management

AR in production processes

In the age of the smart factory, the 4th industrial revolution and ever greater advances in technology, it is also imperative to have upgrades in the area of maintenance. It must also be possible to use new technologies to not only monitor manufacturing but also to manually intervene and control processes.

Art. no. CPR 1


- Introduction to augmented reality
- Communication between PLC and AR app
- Display of the signal states in real time
- Hardware control via app
- Discretionary positioning of the signals in the AR environment
- Configuration of error messages
- PLC signals available for free use also for other applications

SMART FACTORIES AND THE 4TH INDUSTRIAL REVOLUTION


The smart factory excels not only because of its flexibility and resource efficiency. What is of primary importance is also a transformable production process, system network integration and the ability to have all information stored in the cloud as a cyber-physical system, CPS. The main component here is an ERP (Enterprise Resource Planning) system that operates in the cloud.



Ö



SMART FACTORY FOR VOCATIONAL TRAINING AND EDUCATION





EVERYTHING UNDER CONTROL WITH THE ERP LAB

opencart 🗔	of an industrial ERP	system			🕥 - 🕫 Logost					
NAVIGATION										
B Dashboard	Dashboard Home - Dashboard				•				E Pos	wer -
Catalog	, TOTAL ORDERS IN	TOTAL SALES 0%	TOTAL CUSTOMERS	0% PEOPLE ONLINE						
 Extensions 	• 📜 8	287	2	0	0					
Design	· · · · · · · · · · · · · · · · · · ·									
Sales	> View more	View more	View more	View more						
Customers	> Lat. Sales Analytics	B+	Recent Activity				ERP-Lab	v210		
Marketing	> 1			No results!				12.110		1130 1130 1140 1190 13
System	> 7	Customera				Order	Stock SCADA	MES ERP Sh	nop Analytics 🚥	
Reports	> -									
						Lucas	Nülle			
Orders Completed 0%	2	Site admin	istration							millimmun
Orders Processing 0%	1	AUTHENTICAT	ON AND AUTHORIZATION		Recent actions	Luc	as Nülle			UN UN UN UN UN UN
Other Statuses 0%	0	Groups		🔶 Add 🥜 Change		Luo	uo runo			
		Users		+ Add 🥜 Change	My actions		Identifier	State		Carrier
	Te Latest Orders	FACTORY			¥ #7 Order	22 C	IMS1	26		251d6b9550
	Order ID Gustomer	Actions		🕈 Add 🛛 🥖 Change	¥ #8 Order	_	on	Transfer Sleep		
	8 Firstname Lastname	Carriers		🕈 Add 🥒 Change	¥ #9 Order	#	IMS3A on	27 Transfer Run		#19 e8026b9550
	7 Vorname Nachname	Connections		🕂 Add 🥔 Change	× #10 Order		IMS3B	10		0002000000
68.2.177/shop/edmin/index.php?rout	tex.commen/dashboard&user_token=Np8xPn1GD018zxd8jb431kKx32t097C	Item groups		+ Add Change	X Stock object (19)	±	07	Reading Finish		
		Items		+ Add / Change	× Stock object (20)		IMS4A	0		
		Plants		🔶 Add 🌙 Change	Sinck X Stock object (21)		n	Idle		
				+ Add 🥜 Change	Book X Stock object (22)	-	IMS4B	0		
The MES, v	which is the link betweeı	n the machine and		🕈 Add 🛛 🥕 Change	flock		on	Idle		
RP system.	contains all relevant ma	chine data needed		+ Add 🥜 Change	Stock object (23)	-	IMS5A	0 Idle		
a system,				+ Add 🥜 Change	Black (LM9624: Bottom) Lane					
		for production.		🕂 Add 🥜 Change		-	IMS5B	0 Idle		
		OPENCART					IMS7	26		07046b9550
		Actions		🔶 Add 🥜 Change			on	Transfer Sleep		
									SCADA	
		STATISTIC		/ Change						a la inca al a
		monitora.		- strange					Live mad	chine dat


The educationally adapted, equivalent alternative to industrial solutions

The ERP lab provides all the functionality needed to implement a smart factory solution. With the software components SCADA, MES, ERP and the webshop, every aspect is accounted for.

workstation, the heart of the system is the ERP lab. The ERP lab networks all the modules inside your laboratory. The option of linking up additional modules is always available.

Like all modules, the integrated webshop can be custom edited and permits orders to be placed via the Internet. The order information ends up in ERP system for processing and is then sent to the MES system as a production order. The production is then fully automatically commenced.

Whether it be 3D printing, production, or the smart manual



Stock	
	C
4	C
2	C
2	C
4	C
4	C
4	C
	C
	4 2

Education and training in the foreground

This complex interplay between all the modules is imparted clearly and understandably in the corresponding Labsoft courses. That way the student can follow all the configurations, apply them independently, and also make any necessary adjustments.

FROM THE IMS® SUBSYSTEM TO THE 4TH INDUSTRIAL **REVOLUTION**



Flexible design and set-up

Thanks to the system's modularity, conveyor belt systems with processing stations can be assembled with great flexibility. In just a few minutes, the entire production line can



To fit any budget

equipment set and expand your system until it becomes a complex production line. On our homepage, you can find several examples of completely assembled production lines.



SUBSYSTEMS AT A GLANCE



Practical hands-on training guaranteed

Modularity

Multiple combinations and varied projects are possible thanks to the system's modularity. Adapt the design and complexity to your needs.

Adaptation just a matter of minutes Because the components are designed


modularly, the system can be modified to meet any instructional requirement in a matter of minutes. This happens without screws or having to lift and move complicated tables. The solid construction of the stations allows for easy assembly and disassembly.

Based on real Industrial-like conditions

Almost all components are industrial type. This facilitates student orientation when working on a real job.



IMS[®] 1.2 Transport station







IMS[®] 4 Assembly station

IMS[®] 7 Handling station



IMS[®] 5 Processing station



IMS[®] 8 High-rack warehouse station



IMS[®] 11 Disassembly station











IMS[®] 3 Sorting station



IMS[®] 6 Testing station



IMS[®] 9 Routing station



IMS[®] 13 Drilling and lathing station

IMS® TRANSPORT AND SUBSYSTEMS

IMS® - CYBER-PHYSICAL TRANSPORT SYSTEM



IMS[®] Transport system

The transport or conveyor system is the anchor of all subsystems and thus the pivotal component of the entire manufacturing system.

IMS[®] subsystem

Each work step made during the entire manufacturing process is mirrored in its own so-called subsystem within the "Industrial Mechatronic System" IMS[®]. The subsystems are simply placed on the conveyor belt.

Benefits

- · Exercise on only one certain subsystem (station) or
- on a series of individually configured subsystems (stations)


Situation

A front-mounted Siemens PLC can be custom programmed and takes over responsibility for control of the module. The processing stations attached to the conveyor belt can be controlled via the PLC using the 25-pin D-Sub connection terminal. The conveyor belt including the control unit forms a single compact unit.

The system can be detached from the overall system and studied as a single workstation without having to make major reconfiguration or cable modifications. That way you avoid a rebuild or complicated reconfiguring of the tables.


- Belt control with variable speed using the PWM signal of the PLC
- Incremental encoded disk for position detection and speed measurement via optical sensor
- Measurement of power consumption for energy management
- Top-hat rail to expand PLC with analog or digital IO modules
- Add a PROFIBUS master module or IO link master module to expand PLC

IMS® VIRTUAL – THE DIGITAL TWIN



The "digital factory": Realistic, dynamic 3D visualization

IMS[®] Virtual is a PC-based, graphically depicted 3D simulation system that provides the learning environment for the mechatronic training system IMS[®]. All of the components of the virtual subsystems and production lines are dynamically animated and depicted in real time in virtual 3D scenes. These 3D scenes are programmed like real physical models using STEP 7 and controlled using the "S7 PLCSIM" software.



IMS[®] 3 – Sorting and

IMS[®] 4 – Assembly


IMS[®] 8 – Storage

Training contents

- Simulation and visualization of technical manufacturing processes
- PLC programming according to IEC 1131-1 (ST, FBL and LAD)
- Open-loop control and testing of technical processes
- Configuring the parameters, programming and putting into operation technically different production line systems
- Carrying out systematic trouble-shooting on production lines
- Centralized operation and monitoring of production lines and processes
- Becoming familiar with the operation and system architecture of a production line system
- Exploring how an industrial robot operates in a production line system


48







IMS[®] 5 – Testing




Production line IMS[®] 26 with industrial robot

ROBOT TECHNOLOGY

0

In modern highly automated and efficient manufacturing processes, robots play a huge role. The training package "Fundamentals of robot technology" takes the future automation technician or mechatronics specialist on a step-by-step journey through the basic principles including how to handle and program robots and demonstrates the optimum interplay between the robot and automation systems.

TRAINING SYSTEMS FOR ROBOTICS



Launch your journey into the world of robots

In modern, highly automated and efficient manufacturing processes, robots are taking on a huge role. The training package "Fundamentals of robot technology" takes the future automation technician or mechatronics specialist on a stepby-step journey through the basic principles, including how to handle and program robots and demonstrates the optimum interplay between the robot and automation system.

Benefits

- Multimedia course with theoretical material, animations, experiment instructions and evaluations
- Full theoretical coverage to acquire an understanding of multi-axis robots including relevant safety precautions
- Inherently safe device (safety precautions not required)
- Contains lots of engaging experiments on 4-axis robots, conveyor belt and on PLC systems
- Programmability of the robot using the 3-D simulation software provided
- Know-how acquired is easily applicable to industrial robots


The training system

The Mover4HD is a four-axis robot arm designed for use in schools and colleges. With the Mover4HD automation, scenarios can be realistically modelled. It serves as the motion platform and connects tangible reality with physics, mathematics, and IT technology. The robot arm possesses four serial axes and can thus move in space and tilt its gripper angularly.

- Manually traversing the robot
- Programming movements
- Coordinate systems of the robot
- Speed and acceleration
- Singularities and symmetries
- Digital inputs and outputs
- Typical programming sample
- Program structures
- Final experiment

COLLABORATING ROBOTICS

MOBILE ROBOTICS



Collaborative robots

Easy to program and quickly set up, the robot also has collaborating functionality and is safe. Thanks to its intuitive software, even inexperienced operators quickly learn the basics of programming. Desired traversing points are simply entered by moving the robot arm manually into the desired position.

Benefits

- Electrically operated gripper: gripping force adjustable from 3 N to 40 N
- Adjustable gripper stroke of up to 110 mm
- Camera system for object recognition, taught-in objects are reliably grasped regardless of their location
- Robot arm can be manually traversed as desired
- PROFINET connection to PLC possible
- Security: Security function approved by TÜV NORD authorities
- Test in compliance with: EN ISO 13849-1, Cat 3, PLd and EN ISO 10218-1

AGV - Automated guided vehicle with collaborative 6-axis robot arm

The system consists of a collaborative mobile robot with an additional collaborative 6-axis robot arm. This new generation of autonomous mobile robots is currently revolutionizing the way materials are being transported in company facilities. The operation of the automated guided vehicle (AGV) is achieved without magnetic loops in the floor by virtue of its camera system.

Benefits

- Remote monitoring and control
- Interface to Lucas-Nuelle production planning system for the transmission of work orders.
- Route planning based on destination coordinates / stations
- Traversing on the planned route to the destination
- Recognition of obstacles in the path, deceleration/stop
- Determining evasive routes and following them
- Creation of a map based on scanner data and location finding and movement within the map
- Manual creation of periphery maps with walls, workstations and permitted routes
- EMERGENCY STOP

PROJECT WORK WITH THE ROBOT

IMS® ROBOT TECHNOLOGY



Test project equipment set

After manufacturing a workpiece, the robot retrieves the manufactured part and transfers it to the "Test" station. The correct assembly of the workpiece is inspected at the test station using a variety of sensors. After testing, the finished piece is transported back to the production line.


Art. no. CRK 11

CRK 10 - Industrial standard robot programming

The Kuka KR6 R700 sixx is a 6-axis industrial robot which makes it possible to work, control and program on a professional level. A simple introduction to programming is ensured thanks to the clearly structured Teach Pendant. Project data can be transferred between the robot and the PC • International automotive standard: corresponding to using a direct PC connection via Ethernet.

Benefits

- Compact, fast and agile robot from the industrial arena with 6 degrees of freedom
- Pro training system: permits learning under realistic work conditions
- conventional industrial design
- Programming using Teach Pendant
- Project planning possible using the software provided
- Connection to the PLC via the PROFINET



Disassembly project equipment set

After completing the manufacturing of the workpiece, it is determined if this has been installed properly. The robot removes the part from the production line and leads it to the disassembly station. At this station, the robot helps to disassemble the workpiece into its component parts. The robot sorts the individual components into storage trays.

Art. no. CRK 12

COMPUTER INTEGRATED MANUFACTURING CIM

Integration into automation technology CNC programming and machining is an important task of many metalworking companies and places high demands on the student and trainee. Lucas-Nuelle offers solutions for CNC training that fits the IMS® program. The CIM training system is a system that fulfils all the requirements of a modern vocational and advanced training system in the area of metalworking. In project planning work, the workpieces can be machined for the IMS area.

CIM 1 - LATHE

CIM 2 – MILLING MACHINE



The compact lathe machine is an optimum solution for vocational training and conforms to industry standards in terms of design and operation. With the machine, you can realistically demonstrate and explain all the essential processes found in modern manufacturing. Sensible simplification, a clearly structured machine design combined with easy-to-operate features are the key to rapid learning success.

Art. no. CIM1

Benefits

- Compact CNC lathe machine
- Industrial, prismatic cast iron bed
- Direct control using the programming software provided or with conventional manual operation
- Safety machine cabinet
- Clockwise and anticlockwise spindle operation
- Continuously adjustable main drive
- Automatic 8-fold tool changer
- The complete manufacturing process can be automated by connecting up a robot
- Connection to IMS[®] also possible
- Manufacture of bolts for IMS[®]
- ILA course
- ' Material composition ' Geometric and technological principles
- ' Project-based workpiece manufacturing

The compact milling machine is an optimum solution for vocational training and conforms to industry standards in terms of design and operation. With the machine, you can realistically demonstrate and explain all the essential processes found in modern manufacturing. Sensible simplification, a clearly structured machine design combined with easy-to-operate features are the key to rapid learning success.

Art. no. CIM2




Benefits

- Compact 3-axis CNC milling machine
- Solid, industrial cast-iron construction
- Direct control using the programming software provided or with conventional manual operation
- Safety machine cabinet
- Clockwise and anticlockwise spindle operation
- Continuously adjustable main drive
- The complete manufacturing process can be automated by connecting up a robot
- Connection to IMS[®] also possible
- Permits manufacture of upper and lower sections for IMS®
- ILA course
- ' Material composition
- ' Geometric and technological principles
- ' Project-based workpiece manufacturing

PROGRAMMING SOFTWARE

PROFESSIONAL 3D PROGRAMMING SOFTWARE



The software provided for the machines permits the student to quickly and easily go from the construction of a product to a finished workpiece. Also, an easy-to-use operating feature facilitates taking complex contours and converting them from any given drawing in DXF or HPGL formats and transferring them to the CNC machine for processing.

Scope of functionality

- Programming input according to DIN 66025 with G and M functions as well as graphic programming
- 3D or 2D simulation of the processing procedure with the tool depicted
- Automatic CNC program creation
- Manual operating field
- Data acquisition from DXF or CAD files and conversion into an operational program
- Inputting technology values
- Machine-independent program creation

CNC machines can be programmed directly using professional 3D programming software. The programs which can be simulated in 3D are created, tested, and converted into a special G-code adapted by a post-processor specifically for the CIM1/2 machines. The professional 3D software can be obtained in the lathe and milling machine versions. There is also an automated manufacturing option available. This is achieved by using a tool changer, thread cutter in CNC operation, an electronic manual wheel, and also by utilizing higher processing speeds.

- Program input according to DIN 66025 with G and M functions as well as PAL programming
- 3D or 2D simulation of the processing procedure with depicted machine and tool
- Data transfer from PAL or Fanuc source code and conversion into an operational G-code program
- Inputting technology values
- Machine-independent program creation
- Cutting radius compensation







LUCAS-NÜLLE GMBH

Siemensstr. 2 50170 Kerpen, Germany

Tel.: +49 2273 567-0 Fax: +49 2273 567-69

www.lucas-nuelle.com export@lucas-nuelle.com

Ref. no.: K-C1-1112-EN Automation Technology 07/21-EN (Printed in Germany) Subject to technical amendments.